

experience
more
together

[Global.cfmoto.com](https://www.global.cfmoto.com)

ZHEJIANG CFMOTO POWER CO.,LTD.

NO.116,Wuzhou Road,Yuhang Economic Development Zone
Hangzhou 311100,Zhejiang Province.

Tel:86-571-89265799

Facebook:CFMOTO_Official

Instagram:cfmoto_world

YouTube:CFMOTO



ACCESSORIES

Photos are for illustrative purposes only. Specs to change without notice. Subject to material object. Details in store.



experience
more
together

UFORCE 600

P03 — P06

ACCESSORIES

UFORCE 550&800

P01 — P02



UFORCE 1000&1000XL

P07 — P12



UFORCE

UNIVERSAL

P13 — P14




TOWING

P15 — P16



SNOW PLOW

P17 — P18



CFMOTO POWER

P19 — P20



UFORCE

550 & 800



Front Bumper Assembly

Accessory Code: 7030-801000

Features:

- Steel Tube Diameter: $\phi 32\text{mm}$
- Wall Thickness: 2mm
- Front vehicle protection
- Headlight Full Protection
- Front hood protection
- Integrated rack extension
- E-coated with black powder coat



Aluminum Skid Plate Assembly

Accessory Code: 7030-800100

Features:

- Made of high strength aluminum (thickness 3mm)
- Ultimate durability
- High impact strength
- Offering great protection in rough terrain



A-Arm Protector Assembly

Accessory Code: 7030-800200

Features:

- Made of high strength aluminum (thickness 3mm)
- Ultimate durability
- High impact strength
- Easy to install



Roof Rack Assembly

Accessory Code: 703A-800400

Features:

- Roof rack assembly works on UFORCE 550 & 800
- Increase the cargo capacity of UFORCE 550 & 800.
- E-coated with black powder coat



Hitch Kit (for U5 & U8)

Accessory Code: 5BY#-808100

Features:

- 2 inch hitch kit for UFORCE 550 & 800
- E-coated with black powder coat



LED Light bar Assembly

Accessory Code: 703A-801500

Features:

- 8100 lumens LED light (18 beads x 5w)
- OSRAM high power Led chips
- Anti-glare optical design
- IP68 waterproof
- Fits roof rack, easy to install
- Long range illumination up to



UFORCE 550 & 800

HDPE Skid Plate Assembly

Accessory Code: 5ASV-804300-6000

Features:

- Made of high density polyethylene HDPE (thickness 8mm)
- Ultimate durability
- High impact strength, Ultimate durability
- Offering great protection in rough terrain
- Fit on UFORCE 600 perfectly



Front Bumper Assembly

Accessory Code: 5AS#-801100-6000

Features:

- Steel Tube diameter 38mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides front protection of vehicle
- Headlight protection
- Works with winch system and plow system



Rear Bumper Assembly

Accessory Code: 5AS#-801200-6000

Features:

- Steel Tube diameter 38mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides rear protection of vehicle
- Works hitch system



Nerf Bars Assembly

Accessory Code: 5AS#-801300-6000

Features:

- Steel Tube diameter 32mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides side protection of vehicle
- Integrated boot scraper helps keep interior clean



UFORCE 600



Side Mirrors Assembly

Accessory Code: 5ASV-805500-6000

Features:

- Perfect fit on UFORCE 600
- Wide range rear view
- Make UFORCE 600 ride more safety
- Stable, quiet at low/high speed riding condition
- Compatible with roof, windshield, and other accessories



U6 Vehicle Cover

Accessory Code: 85214Z-00100

Features:

- Made of UV-resistant solution black yarn-dyed Oxford PU
- Protects windshield and colored panels from abrasion
- Weather-resistant trailering cover protects your vehicle during storage and transportation
- Perfectly fit UFORCE 600 with or without CFMOTO accessories



Snorkel Assembly

Accessory Code: 5ASV-803100-6000

Features:

- Perfect protection against dust and rain
- Stable, quiet at low/high speed riding condition
- Make UFORCE 600 work well under harsh environment



Left Full Door Assembly

Accessory Code: 5ASV-807100-6000

Right Full Door Assembly

Accessory Code: 5ASV-807200-6000

Features:

- The strong and durable doors provide a quiet and comfortable driving environment
- Doors with convenient integrated storage areas
- Exterior and Interior door handle
- Polycarbonate windows can be opened fully.
- The main tube of door structure is 20 x 20 mm square tube
- 360 degree bubble seal



U6 Audio System

Accessory Code:5ASV-801000

Features:

- **Purposely Engineered for CFMOTO UFORCE 600**
Audio system specifically design for UFORCE 600 fitment
- **High Contrast 160-Watt LCD Source Unit**
AM/FM, Bluetooth with Android phone and Apple iPod/iPhone control Built-in-five band equalizer
- **Independent 2 x 6.5-inch Coaxial Speakers**
Composite construction midrange for deep and accurate midbass 0.75-inch titanium dome tweeter for crystal clear-high frequencies
- **High Impact HDPE Composite Enclosure**
Ultra-compact design takes up minimal space
- **LIFE SHIELD IPX Rated**
Fully protected against the elements



Cargo Bed Rack Assembly

Accessory Code:5ASV-806200-6000

Features:

- Add the space for loading more goods
- Can work with CFMOTO U6 cargo box
- Durable, steel tube construction, E-coated with black powder coat
- With CF Connect, Easy to install and remove, Tool-less



Cargo Bed Box Assembly

Accessory Code:5ASV-806100-6000

Features:

- Large storage capacity (48 Gallons, ~182 Liters)
- Durable, Heavy duty plastic, Stylish look
- With drain hole, Easy to clean the box and drain the water
- With CF Connect, Easy to install and remove, Tool-less
- With 2 openable lids, easy to put goods in and take them out
- Lockable lid, No mounting holes inside of cargo box, Water tight seal
- With the integrated flat cover with rope holes, can put more goods on box



Front Full Windshield Assembly

Accessory Code:5ASV-805100-6000

Features:

- Made of impact-resistant polycarbonate
- Excellent visibility
- Surface hardening treatment
- Stable and quiet at riding condition
- UV and weather endurance with no yellowing
- Protects drivers and passenger from the elements
- With CF Connect, tool-less, Easy to install and remove after initial installation



Front Half Windshield Assembly

Accessory Code:5ASV-805300-6000

Features:

- Made of impact-resistant polycarbonate
- Excellent visibility
- Surface hardening treatment
- Stable and quiet at riding condition
- UV and weather endurance with no yellowing
- Protects drivers and passenger from the elements
- With CF Connect, tool-less, Easy to install and remove after initial installation



Rear Panel Assembly

Accessory Code:5ASV-805200-6000

Features:

- Made of impact-resistant polycarbonate
- Excellent visibility
- Surface hardening treatment
- Stable and quiet at riding condition
- UV and weather endurance with no yellowing
- Prevent backdraft of dust or rain in harsh environments
- With CF Connect, tool-less, Easy to install and remove after initial installation



Driver Heating Seat Assembly

Accessory Code:5ASV-805600-6000

Features:

- Single Seat Kit, includes 1 switch
- Rated Voltage 12V, Rated Power 40W±2W
- Thermostat, 2 levels:
High: OFF- 70°C, ON- 65°C Low: OFF- 55°C, ON- 50°C
- The temperature of the seat surface makes the driver comfort in cold environment



Passenger Heating Seat Assembly

Accessory Code:5ASV-805700-6000

Features:

- Single Seat Kit, includes 1 switch
- Rated Voltage 12V, Rated Power 40W±2W
- Thermostat, 2 levels:
High: OFF- 70°C, ON- 65°C Low: OFF- 55°C, ON- 50°C
- The temperature of the seat surface makes the passenger comfort in cold environment



UFORCE 600



Side Mirrors Assembly

Accessory Code: 5HY#-805500-1200

Features:

- Perfect fit on UFORCE 1000
- Wide range rear view
- Make UFORCE 1000 ride more safety
- Stable, quiet at low/high speed riding condition
- Compatible with roof, windshield, and other accessories



Front Bumper Assembly

Accessory Code: 5HY#-801100-1000

Features:

- Steel Tube diameter 38mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides front protection of vehicle
- Headlight protection
- Works with winch system and plow system



Rear Bumper Assembly

Accessory Code: 5HY#-801200-1000

Features:

- Steel Tube diameter 38mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides rear protection of vehicle
- Works hitch system



UFORCE 1000&1000XL



ACCESSORY

Nerf Bars Assembly – UFORCE 1000

Accessory Code: 5HY#-801300-1000

Features:

- Steel Tube diameter 50mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides side protection of vehicle
- Integrated boot scraper helps keep interior clean



Snorkel Assembly

Accessory Code: 5HY#-803000-1200

Features:

- Perfect protection against dust and rain
- Stable, quiet at low/high speed riding condition
- Make UFORCE 1000 work well under harsh environment



Nerf Bars Assembly-UFORCE 1000XL

Accessory Code: 5SY#-801300-6000

Features:

- Steel Tube diameter 50mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides side protection of vehicle
- Integrated boot scraper helps keep interior clean



1000&1000XL

Left Full Door Assembly

Accessory Code: 5HYV-807100-1000

Right Full Door Assembly

Accessory Code: 5HYV-807200-1000

Features:

- For UFORCE 1000 only
- The strong and durable doors provide a quiet and comfortable driving environment
- Doors with convenient integrated storage areas
- Exterior and Interior door handle
- Polycarbonate windows can be opened fully.
- The main tube of door structure is 20 x 20 mm square tube
- 360 degree bubble seal



Cargo Bed Rack Assembly

Accessory Code: 5HYV-806200-1000

Features:

- Add the space for loading more goods
- Can work with CFMOTO U10 cargo box
- Durable, steel tube construction, E-coated with black powder coat
- With CF Connect, Easy to install and remove, Tool-less



Cargo Bed Box Assembly

Accessory Code: 5HYV-806100-1000

Features:

- Large storage capacity (52.5 Gallons, ~199 Liters)
- Durable, Heavy duty plastic, Stylish look
- With drain hole, Easy to clean the box and drain the water
- With CF Connect, Easy to install and remove, Tool-less
- With 2 openable lids, easy to put goods in and take them out
- Lockable lid, No mounting holes inside of cargo box, Water tight seal
- With the integrated flat cover with rope holes, can put more goods on box



UFORCE 1000&1000XL

Front Half Windshield Assembly

Accessory Code: 5SYV-805300-1000

Features:

- Made of impact-resistant polycarbonate
- Excellent visibility
- Surface hardening treatment
- Stable and quiet at riding condition
- UV and weather endurance with no yellowing
- Protects drivers and passenger from the elements
- With CF Connect, tool-less, Easy to install and remove after initial installation



Front Full Windshield Assembly

Accessory Code: 5SYV-805100-1000

Features:

- Made of impact-resistant polycarbonate
- Excellent visibility
- Surface hardening treatment
- Stable and quiet at riding condition
- UV and weather endurance with no yellowing
- Protects drivers and passenger from the elements
- With CF Connect, tool-less, Easy to install and remove after initial installation



Rear Panel Assembly

Accessory Code: 5SYV-805200-1000

Features:

- Made of impact-resistant polycarbonate
- Excellent visibility
- Surface hardening treatment
- Stable and quiet at riding condition
- UV and weather endurance with no yellowing
- Prevent backdraft of dust or rain in harsh environments
- With CF Connect, tool-less, Easy to install and remove after initial installation



UFORCE 1000&1000XL



Driver Heating Seat Assembly

Accessory Code: 5HYV-805100-1000

Features:

- Single Seat Kit, includes 1 switch
- Rated Voltage 12V, Rated Power 40W±2W
- Thermostat, 2 levels:
High: OFF- 70°C, ON- 65°C Low: OFF- 55°C, ON- 50°C
- The temperature of the seat surface makes the driver comfort in cold environment



Front Passenger Heating Seat Assembly

Accessory Code: 5HYV-805200-1000

Features:

- Single Seat Kit, includes 1 switch
- Rated Voltage 12V, Rated Power 40W±2W
- Thermostat, 2 levels:
High: OFF- 70°C, ON- 65°C Low: OFF- 55°C, ON- 50°C
- The temperature of the seat surface makes the passenger comfort in cold environment



Rear Bumper and Nerf Bars

Accessory Code: 5HY0-802000

Features:

- Made of φ 32mm steel pipe
- Rear and Side vehicle protection
- Taillight Protection
- Anti-corrosion coating with durable coat finish
- Tough and Strong



Front Bumper and Rack

Accessory Code: 5HY0-801000

Features:

- Integrated rack extension
- Made of φ 32mm steel pipe
- Front vehicle protection
- Headlight Protection
- Anti-corrosion coating with durable coat finish
- Tough and Strong



Skid Plate Assembly

Accessory Code: 5HY0-805200

Features:

- Made of high strength aluminum (thickness 3mm)
- Ultimate durability
- High impact strength
- Offering great protection in rough terrain



A-arm Protector Assembly

Accessory Code: 5HY0-805100

Features:

- Made of high strength aluminum (thickness 3mm)
- Ultimate durability
- High impact strength
- Offering great protection in rough terrain



Cargo Bed Wall Extender Assembly

Accessory Code: 5HY0-803000

Features:

- Extend the capacity of dumping box
- Tough and Strong
- Anti-corrosion coating with durable coat finish
- This Cage need 12 units quick release clamps (5HY0-809100) to install



ACCESSORIES



UFORCE UNIVERSAL

Universal Audio System

Accessory Code: UNIS-850100

Features:

- 33.5 inch Universal Audio System
- Purposely Engineered for CFMOTO
Overhead audio system specifically design for CFMOTO UTV and SSV fitment
- High Contrast 160-Watt LCD Source Unit
AM/FM, Bluetooth with Android phone and Apple iPod/iPhone control Built-in-five band equalizer
- Compositd 4 x 6.5-inch Coaxial Speakers
Composite construction midrange for deep and accurate midbass 0.75-inch titanium dome tweeter for crystal clear-high frequencies
- High Impact HDPE Composite Enclosure
Ultra-compact design takes up minimal space
- Integrated Touch Controlled Demo Light
LED dome light provides necessary light inside your UTV
- LIFE SHIELD IPX Rated
Fully protected against the elements



Center Mirror Assembly - Premium

Accessory Code: 5BWV-805600-5000

Features:

- Large range rear review, make U6&U10 ride more safety
- Aluminum mounting brackets
- Stable, quiet at low/high speed riding condition
- Compatible with roof, windshield, and other accessories



Center Mirror Assembly

Accessory Code: 5HY#-805600-1200

Features:

- Perfect Fit on UFORCE 600&1000&1000XL
- Wide range rear view, make U10 ride more safety
- Stable, quiet at low/high speed riding condition
- Compatible with roof, windshield, and other accessories



Tools Box Assembly

Accessory Code: 5BYV-804100-1000

Features:

- Tool box can take the necessary tools and small items
- Use Velcro to lock the tool box on vehicle, easy to change the place
- With tool box, consumer can get the tool anytime and anywhere.
- L x W x H: 422 x 170 x 57 mm (16.6 x 6.9 x 2.2 inch)



UNIVERSAL

CFMOTO Tool Support, Pair

Accessory Code: 852114-00001

Features:

- Tool Holder FlexGrip™ by ATV-TEK with CFConnect™ system
- A true custom fit for your lifestyle, use it for guns, bows, tools, or any other item.
- CFMOTO riders have effortless installation and versatility thanks to a finger adjustable rotation of the grip and convenient mounting options with CFConnect™



Overhead Storage Bag Assembly

Accessory Code: 5HYV-809200-1000

Features:

- Perfect Fit on roof of UFORCE 600 and UFORCE 1000
- Zippered cargo areas with dust flaps keep items dry and clean
- Large storage capacity
- One special storage space designed for roadmap, phone and others which need to be accessed easily
- Easy to install



UNIVERSAL

UFOORCE TOWING

Winch Rope Fairlead

Accessory Code: 7030-150701

Features:

- Used with CFMOTO winch
- Aluminum fairlead reduces wear on wire rope for heavy attachment application



Synthetic Winch Rope

Accessory Code: 7020-800750

Features:

- High strength winch rope, pull up to 4500 lbs
- Rope length up to 12 meters.
- Light weight, easy to carry
- Durable, sea water resistance, UV resistance and temperature difference repetition, etc
- Convenient, fast and safe operation



Tree Saver Strap

Accessory Code: 9DS#-808302-6000

Features:

- Large eyes with heavy duty chafe protection allow for easy rigging
- Bright yellow nylon provide excellent visibility when winching
- Center chafe protects from abrasion damage



Hitch Kit (2", 136mm)

Accessory Code: 7000-808100

Features:

- 2 inch hitch kit for ATV/UTV
- 136mm length towing bar (from pin shaft hole to hitch ball hole)
- Easy to install and remove
- E-coated with black powder coat



Hitch Kit (2", 290mm)

Accessory Code: 9AW#-808100

Features:

- 2 inch hitch kit for ATV/UTV
- 290mm length towing bar (from pin shaft hole to hitch ball hole)
- Easy to install and remove
- E-coated with black powder coat



Converting Cable, Socket Assembly

Accessory Code: 7020-800200-1000

Features:

- Use for all CFMOTO vehicle with trailer
- The socket cover defense against dirt and water
- Power socket is for trailer in most markets, added Adaptor is for North America Market



UFORCE SNOW PLOW



60" Plow Blade Assembly

Accessory Code: 9AWV-804300-2000

Features:

- Plow wall thickness 2.5mm
- Attach the plow push tube at the front of CFMOTO vehicle easily
- Increased sacrifice anodes for longer use of snow plows
- E-coated with black powder coat
- Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.



72" Plow Blade Assembly

Accessory Code: 5HYV-804300-1000

Features:

- Plow wall thickness 2.5mm
- Attach the plow push tube at the front of CFMOTO vehicle easily
- Increased sacrifice anodes for longer use of snow plows
- E-coated with black powder coat
- Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.



Plow Fenders, Pair

Accessory Code: 5HYV-804400-1000

Features:

- For CFMOTO plow, Sold in pairs
- Wall Thickness: 3mm
- Install on CFMOTO plow system easily
- E-coated with black powder coat



Plow Mount Bracket Assembly

Accessory Code: 5ASV-804200-6000

Features:

- For UFORCE 600
- Wall Thickness: 6mm
- Install on the front of U6 easily and lock the plow push tube easily
- Increased sacrifice anodes for longer use of snow plows
- E-coated with black powder coat



Plow Mount Bracket Assembly

Accessory Code: 5HYV-804100-1000

Features:

- For UFORCE 1000 & UFORCE 1000 XL
- Wall Thickness: 6mm
- Install on the front of U10 easily and lock the plow push tube easily
- Increased sacrifice anodes for longer use of snow plows
- E-coated with black powder coat



Plow Markers, Pair

Accessory Code: 5HYV-806400-1000

Features:

- For CFMOTO plow, Sold in pairs
- Height: 75mm (29.5 inch)
- Bright orange color, help locate the edges of plow
- Install on CFMOTO plow system easily



Plow Push Tube Assembly

Accessory Code: 5HYV-804200-1000

Features:

- For CFMOTO plow
- Plow wall thickness 5mm
- Attach the plow mount bracket at the front of CFMOTO vehicle easily
- Increased sacrifice anodes for longer use of snow plows
- E-coated with black powder coat





REF	PRODUCT NAME	PRODUCT CODE	POWER	STARTING	STANARDED	
1	GENERATOR - i20	852100-00004	2.0kw	Recoil	EUROPE	230volt/50Hz
2		852100-00005			U.S.	120volt/60Hz
3		852100-00034			Canada	120volt/60Hz
4		852100-00006			Australia	230volt/50Hz
5		852100-00019			China	230volt/50Hz
6		852100-00024			Korean	220volt/60Hz
7	GENERATOR - i25	852100-00007	2.4kw	Recoil	EUROPE	230volt/50Hz
8		852100-00008			U.S.	120volt/60Hz
9		852100-00035			Canada	120volt/60Hz
10		852100-00009			Australia	230volt/50Hz
11		852100-00020			China	230volt/50Hz
12		852100-00025			Korean	220volt/60Hz
13	GENERATOR - i30	852100-00010	3.0kw	Recoil	EUROPE	230volt/50Hz
14		852100-00011			U.S.	120volt/60Hz
15		852100-00036			Canada	120volt/60Hz
16		852100-00012			Australia	230volt/50Hz
17		852100-00021			China	230volt/50Hz
18		852100-00026			Korean	220volt/60Hz



REF	PRODUCT NAME	PRODUCT CODE	POWER	STARTING	STANARDED	
1	GENERATOR - i20	852000-00004	2.0kw	Recoil	EUROPE	230volt/50Hz
2		852000-00005			U.S.	120volt/60Hz
3		852000-00006			Australia	120volt/60Hz
4		852000-00019			China	230volt/50Hz
5		852000-00024			Korean	220volt/60Hz
6		852000-00007			EUROPE	230volt/50Hz
7	GENERATOR - i25	852000-00008	2.4kw	Recoil	U.S.	120volt/60Hz
8		852000-00009			Australia	120volt/60Hz
9		852000-00020			China	230volt/50Hz
10		852000-00025			Korean	220volt/60Hz
11		852000-00010			EUROPE	230volt/50Hz
12		852000-00011			U.S.	120volt/60Hz
13	GENERATOR - i27	852000-00012	3.0kw	Recoil	Australia	120volt/60Hz
14		852000-00021			China	230volt/50Hz
15		852000-00026			Korean	220volt/60Hz

REF	PRODUCT NAME	PRODUCT CODE	POWER	STARTING	STANARDED	
1	GENERATOR - i45	852100-00013	4.5kw	Recoil	EUROPE	230volt/50Hz
2		852100-00014			U.S.	120volt/60Hz
3		852100-00037			Canada	120volt/60Hz
4		852100-00015			Australia	230volt/50Hz
5		852100-00022			China	230volt/50Hz
6		852100-00027			Korean	220volt/60Hz
7	GENERATOR - i45E	852100-00016	4.5kw	Recoil/ Electric/ Remote	EUROPE	230volt/50Hz
8		852100-00017			U.S.	120volt/60Hz
9		852100-00038			Canada	120volt/60Hz
10		852100-00018			Australia	230volt/50Hz
11		852100-00023			China	230volt/50Hz
12		852100-00028			Korean	220volt/60Hz



REF	PRODUCT NAME	PRODUCT CODE	POWER	STARTING	STANARDED	
1	GENERATOR - i45	852000-00013	4.5kw	Recoil	EUROPE	230volt/50Hz
2		852000-00014			U.S.	120volt/60Hz
3		852000-00015			Australia	120volt/60Hz
4		852000-00022			China	230volt/50Hz
5		852000-00027			Korean	220volt/60Hz
7		852000-00016			EUROPE	230volt/50Hz
8	GENERATOR - i45E	852000-00017	4.5kw	Recoil/ Electric/ Remote	U.S.	120volt/60Hz
9		852000-00018			Australia	120volt/60Hz
10		852000-00023			China	230volt/50Hz
11		852000-00028			Korean	220volt/60Hz

